Statistics & Probability Letters 18 (1993) 421–422
North-Holland

2 December 1993

Author Index Volume 18 (1993)

Abramovich, F.P., The asymptotic mean squared error of L-smoothing splines (3) 179–182
Adell, J.A. and J. de la Cal, On the uniform convergence of normalized Poisson mixtures to their mixing distribution (3) 227–232
Adke, S.R., Records generated by Markov sequences (4) 257–263
Altman, N.S., Estimating error correlation in nonparametric regression (3) 213–218
Alzaid, A.A., *see* Benkherouf, L. (4) 323–326
Balakrishnan, N., A simple application of binomial–negative binomial relationship in the derivation of sharp bounds for moments of order statistics based on greatest convex minorants (4) 301–305
Balakrishnan, N., *see* Balasubramanian, K. (2) 153–161
Balasubramanian, K., R. Viveros and N. Balakrishnan, Sooner and later waiting time problems for Markovian Bernoulli trials (2) 153–161
Benkherouf, L. and A.A. Alzaid, On the generalized Euler distribution (4) 323–326
Berger, J., *see* Sivaganesan, S. (5) 383–388
Berliner, L.M., *see* Sivaganesan, S. (5) 383–388
Bryc, W., A remark on the connection between the large deviation principle and the central limit theorem (4) 253–256
Carter, R.A.L., V.K. Srivastava and A. Chaturvedi, Selecting a double k-class estimator for regression coefficients (5) 363–371
Chaturvedi, A., *see* Carter, R.A.L. (5) 363–371
Chaudhuri, P. and D. SenGupta, A note on robust estimation of location (3) 241–244
Cooke, R.M., The total time on test statistic and age-dependent censoring (4) 307–312
Cordy, C.B., An extension of the Horvitz–Thompson theorem to point sampling from a continuous universe (5) 353–362
Crowley, J., *see* Liu, P.Y. (3) 205–208
Csenki, A., On a counting variable in the theory of discrete-parameter Markov chains (2) 105–112
de la Cal, J., *see* Adell, J.A. (3) 227–232
Deshmukh, S.R., *see* Kale, M.M. (3) 245–251
Devroye, L., A triptych of discrete distributions related to the stable law (5) 349–351
Duan, X. and S. Kageyama, Constructions of nested group divisible designs (1) 41– 48
Forbes, A.B. and T.J. Santner, A note on conditions for the asymptotic normality of the conditional maximum likelihood estimator in log odds ratio regression (2) 137–146
Geisser, S., Bayesian interim analysis of censored exponential observations (2) 163–168
Goldstein, L. and B. McCabe, On the moments of certain stochastic integrals (1) 65– 72
Gorostiza, L.G. and R. Rebolledo, A random field approach to weak convergence of processes (1) 49– 55
Guo, M.-H. and C.-Z. Wei, A lower bound for expectation of a convex functional (3) 191–194
Heinkel, B., Some confidence intervals arising from weak l_p spaces (1) 33– 40
Hornik, K., On the distribution of functionals of stationary Gaussian processes (5) 389–395
Hua, Liang and Cheng Ping, Second order asymptotic efficiency in a partial linear model (1) 73– 84
Hwang, J.T.G. and S.D. Peddada, Confidence interval estimation under some restrictions on the parameters with non-linear boundaries (5) 397–403
Ioffe, D., Two examples in the theory of large deviations (4) 297–300
Jensen, D.R., Efficiency and concentration inequalities on $\mathbb{R}^k$ (3) 209–211
Ji, Shuixin, *see* Wang, Y.H. (1) 1– 7
Kageyama, S., *see* Duan, X. (1) 41– 48
Kaigh, W.D. and M.A. Sorto, Subsampling quantile estimator majorization inequalities (5) 373–379
Kale, M.M. and S.R. Deshmukh, Maximum likelihood estimation in branching process with continuous state space (3) 245–251
Kanazawa, Y., Hellinger distance and Kullback–Leibler loss for the kernel density estimator (4) 315–321
Kartikeyan, B., *see* Sarkar, A. (2) 91–103

0167-7152/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

Kerkyacharian, G. and D. Picard, Density estimation by kernel and wavelets methods: Optimality of Besov spaces (4) 327–336
Krieger, A.M., *see* Zhang, P. (3) 169–177
Kundu, D., Asymptotic theory of least squares estimator of a particular nonlinear regression model 13
Lahiri, S.N., On the moving block bootstrap under long range dependence (5) 405–413
Lee, T.-S., Estimating coefficients of two-phase linear regression model with autocorrelated errors (2) 113–120
Leonard, K.J., Empirical Bayes analysis of the commercial loan evaluation process (4) 289–296
Linares Pérez, J., On a stochastic differentiation formula for Hilbert–Schmidt valued stochastic integrals (2) 129–135
Liu, P.Y., J.O. Voelkel, J. Crowley and M. Wolf, Sufficient conditions for treatment responders to have longer survival than non-responders (3) 205–208
Malani, H.M., W.J. Redfearn and J.P. Nielsen, A note on the asymptotic variance of survival function in the semi-Markov model (1) 19– 25
McCabe, B., *see* Goldstein, L. (1) 65– 72
Meerschaert, M.M., Regular variation and generalized domains of attraction in $\mathbb{R}^k$ (3) 233–239
Meng, X.-L., On the absolute bias ratio of ratio estimators (5) 345–348
Nielsen, J.P., *see* Malani, H.M. (1) 19– 25
Nigam, A.K., *see* Tiwari, N. (5) 415–420
Pantula, S.G., *see* Shin, D. (3) 183–190
Papathanasiou, V., An extension of the information inequality and related characterizations (1) 27– 32
Peddada, S.D., *see* Hwang, J.T.G. (5) 397–403
Picard, D., *see* Kerkyacharian, G. (4) 327–336
Ping, Cheng, *see* Hua, Liang (1) 73– 84
Read, C.B., Freeman–Tukey chi-squared goodness-of-fit statistics (4) 271–278
Rebolledo, R., *see* Gorostiza, L.G. (1) 49– 55
Redfearn, W.J., *see* Malani, H.M. (1) 19– 25
Rieders, E., The size of the averages of strongly mixing random variables (1) 57– 64
Roters, M., Convergence of random power series with pairwise independent Banach-space-valued coefficients (2) 121–123
Rousseeuw, P.J., A resampling design for computing high-breakdown regression (2) 125–128
Runde, R., A note on the asymptotic distribution of the F-statistic for random variables with infinite variance (1) 9– 12
Salminen, P., On the distribution of supremum of diffusion local time (3) 219–224
Santner, T.J., *see* Forbes, A.B. (2) 137–146
Sarkar, A. and B. Kartikeyan, Intervention analysis with nonlinear dependent noise variation (2) 91–103
Sarkar, S., *see* Shin, D. (3) 195–202
Scozzafava, P., Uniform distribution and sum modulo m of independent random variables (4) 313–314
SenGupta, D., *see* Chaudhuri, P. (3) 241–244
Shin, D. and S. Sarkar, A note on testing for a unit root in an ARIMA(p,1,0) signal observed with MA(q) noise (3) 195–202
Shin, D. and S.G. Pantula, Testing for a unit root in autoregressive processes with systematic but incomplete sampling (3) 183–190
Sivaganesan, S., L.M. Berliner and J. Berger, Optimal robust credible sets for contaminated priors (5) 383–388
Sorto, M.A., *see* Kaigh, W.D. (5) 373–379
Srivastava, A.K. and V.K. Srivastava, Pitman closeness for Stein-rule estimators of regression coefficients (2) 85– 89
Srivastava, V.K., *see* Carter, R.A.L. (5) 363–371
Srivastava, V.K., *see* Srivastava, A.K. (2) 85– 89
Steel, M.A. and G.R. Wood, On a problem of Andersson and Perlman (5) 381–382
Tan, W.Y., On the incubation distributions of the HIV epidemic (4) 279–287
Tang, L.C., Limit theorems for Markov random walks (4) 265–270
Tiwari, N. and A.K. Nigam, A note on constructive procedure for unbiased controlled rounding (5) 415–420
Viveros, R., *see* Balasubramanian, K. (2) 153–161
Voelkel, J.O., *see* Liu, P.Y. (3) 205–208
Wang, Y.H. and Shuixin Ji, Derivations of the compound Poisson distribution and process (1) 1– 7
Wei, C.-Z., *see* Guo, M.-H. (3) 191–194
Wolf, M., *see* Liu, P.Y. (3) 205–208
Wood, G.R., *see* Steel, M.A. (5) 381–382
Yu, Q., Admissibility of the Empirical Distribution Function in discrete nonparametric invariant problems (5) 337–343
Zhang, P. and A.M. Krieger, Appropriate penalties in the final prediction error criterion: A decision theoretic approach (3) 169–177
Zhou, Jian-Wei, *see* Zhou, Xiao-Wen (2) 147–151
Zhou, Xiao-Wen and Jian-Wei Zhou, When will the sample paths be step function for two-parameter stochastic processes (2) 147–151